

Declaration of Conformity Certified levelling feet

Declaration of Conformity

Document ID DoC 10 - Certified levelling feet

Publishing date 2024-04-25

Manufacturer NGI A/S

Address Virkelyst 5, DK-9400 Nørresundby, Denmark

Product type Certified levelling feet

Product series XH, XH-FIX, XHFG, XHFJ, XHFV, XHFV-FIX, XHFVG, XHFVJ, XHGS, XHJ, XHJS,

XHS, XHS-FIX, XHT, XHTS, ZHFVJ, ZHJC and ZHJS

NGI declares that the listed product series are in compliance with the Guidelines, European Directives and standards mentioned in the Annex A as of the date this writing.

We attentively follow the revisions and amendments to these guidelines and directives and may revise our products accordingly. This declaration is subject to revision. All users are encouraged to use and apply the most recent editions of this document.

This declaration of conformity is issued under the sole responsibility of the manufacturer. It confirms compliance with indicated standards or norms but implies no warranty of properties.

On behalf of NGI

Lasse Qvistgaard Nielsen R&D Engineer

Materials and condition of use

Please read and follow these instruction to ensure correct usage and cleaning.

Materials Foot plate Stainless steel 1.4307 (AISI 304L) or 1.4404 (AISI 316L) with 3.1 certificate

Rubber sole Blue, white or black NBR or EPDM

Spindle Stainless steel 1.4307 (AISI 304L) or 1.4404 (AISI 316L) with 3.1 certificate Sleeve Stainless steel, 1.4307 (AISI 304L) or 1.4404 (AISI 316L) with 3.1 certificate

Sealings: Blue, white or black NBR, HNBR, Silicone or EPDM

All sealings and rubber soles are in compliance with CFR title 21, 177.2600

Surfaces Sleeve: Surface roughness <1.6µm for XH-series and <0.8 µm for ZH-series

Spindle Surface rougnesss <1.6µm for XH-series and <0.8 µm for ZH-series

 Temperature
 NBR:
 -30°C to +120°C
 -22°F to +248°F

 ranges
 HNBR:
 -30°C to +150°C
 -22°F to +302°F

HNBR: -30°C to +150°C -22°F to +302°F Silicone: -60°C to +200°C -76°F to +392°F EPDM: -50°C to +150°C -58°F to +302°F

Wheel -20°C to +80°C -4°F to 1762°F

Cleaning Detergent: Clean with detergent suitable for supplied sealing material and steel grade

and wheel material.

Temperature: Do not exceed the temperature range of the wheel

Steam: Do not use steam on NBR or Silicone sealings

Maintenance Sealings: Replace broken or damaged sealings. Use only NGI spare parts

Annex A

The listed product series are conformal to the following guidelines, norms and standards.

1907/2006/EC

Registration, Evaluation, Authorization and Restriction of Chemicals (REACH)

incl.

SVHC list 240

January 2024

Under the REACH legislation, Article 33, NGI is obliged to communicate information on SVHC in articles.

We have surveyed our sub-suppliers regarding REACH and their obligation to register substances and can thus state that non of our products covered by this Declaration of Conformity contain SVHC substances above 0,10% by weight.

2011/65/EU

Incl. amendment 2015/836

Restriction of Hazardous Substances (RoHS 1, 2 and 3)

The listed product series are free from all of the following substances covered by RoHS

- Mercury
- Cadmium
- Hexavalent chromium
- Polybrominated biphenyls (PBB)
- Polybrominated diphenyl ethers (PBDE)
- Bis(2-ethylhexyl) phthalate (DEHP)
- Butyl benzyl phthalate (BBP)
- · Dibutyl phthalate (DBP)
- Diisobutyl phthalate (DIBP)

Phthalates

Phthalate free

The listed product series contains no phthalates or terephtalate plassticizers

Dodd-Frank

Act

Title XV, Sec. 1502. - Conflict materials

To the best of our knowledge, the listed materials are not in any way used for manufacturing any of our products, nor does our products contain any of the listed materials.

- Gold
- · Wolframite
- Cassiterite
- Coltan

EHEDG DOC 8+13 Hygienic design principles + Hygienic design of open equipment for processing of food*

These document details the hygienic design principles that shall be followed when designing and constructing equipment and factories for manufacturing of foods and is used as a basis for hygienic design evaluation within the EHEDG equipment certification program.

DS/EN 1672-2 Food processing machinery - Basic concepts - Part 2: Hygiene and cleanability requirements

The products series contained in this Declaration follows the highest design requirements and thus then amend to material of construction 5.2.2 food area and 5.3.2 food area design.